


Testing Report


Current Versus Time Charging Graph: -




-



Capacity Versus Time Charging Graph: -




Battery Temperature Versus Time Charging Graph: -





Discharge Graph w.r.t. Time



Discharge Graph Values w.r.t. Time

T(S)	Vtg.(V)	C/n(A)	Pw.(W)	Cap.(mAh)	T(S)	Vtg.(V)	C/n(A)	Pw.(W)	Cap.(mAh)
30	23.54	5.1	120.38	38	930	21.91	5.1	112.04	1309
90	23.34	5.1	119.35	123	990	21.83	5.1	111.63	1394
150	23.24	5.1	118.83	208	1050	21.75	5.1	111.22	1479
210	23.12	5.1	118.22	292	1110	21.67	5.1	110.81	1564
270	23.02	5.1	117.71	377	1170	21.61	5.1	110.5	1649
330	22.88	5.1	116.99	462	1230	21.55	5.1	110.2	1735
390	22.78	5.1	116.47	547	1290	21.47	5.1	109.79	1818
450	22.68	5.1	115.96	631	1350	21.43	5.1	109.58	1903
510	22.58	5.1	115.45	716	1410	21.37	5.1	109.28	1989
570	22.5	5.1	115.02	801	1470	21.31	5.1	108.97	2074
630	22.4	5.1	114.51	886	1530	21.27	5.1	108.76	2158
690	22.28	5.1	113.89	970	1590	21.21	5.1	108.46	2243
750	22.17	5.1	113.38	1055	1650	21.17	5.1	108.25	2328
810	22.07	5.1	112.86	1140	1710	21.11	5.1	107.95	2412
870	21.99	5.1	112.45	1225	1770	21.07	5.1	107.74	2497

-